



MATERIAL FACT SHEET

282639 HG-SN52JK

General Data

Product Hierarchy	IAK30227
	SERVO and Motion
	HG-SN
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000282639

FA-Servo-Motion: Servo Motor

Series	MELSERVO-JE
Type	HG-SN
Power Supply (V)	200
Rated Capacity (kW)	0,5
Inertia	MEDIUM INERTIA
Rated Torque (Nm)	2,39
Maximum Torque (Nm)	7,16
Rated Speed (rpm)	2000
Maximum Speed (rpm)	3000
Inertia (kg*cm2)	7,26
Brake	NO
Shaft Type	KEYWAY
Protection Class	IP67
Current Type	AC
Encoder Type	17-BIT
Encoder Resolution (p/rev)	131072

Product Dimensions & Weight

Width (mm)	130
Height (mm)	177,5
Depth (mm)	173,5
Weight (kg)	4,8

Logistic Dimensions & Gross Weight

Length (cm)	31,0
Width (cm)	16,5
Height (cm)	23,0
Gross Weight (kg)	5,000
Volume (cdm)	11,765

Stock Data

Planned Delivery Time (Days)	100
------------------------------	-----

Life Cycle

Sales Start	15.12.2014
Predecessor	253952 / HF-SN52JK

Additional Product Information

Battery included	NO
------------------	----

Export Data

Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	NO
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=HG-SN52JK&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=HG-SN52JK&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=HG-SN52JK&doc-lang=en

Product Packaging

Cardboard (g)	530
Other paper (g)	35
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	27
Wood (g)	0
Glass (g)	0
Others (g)	0

Compatible products

Material	Description / Price List Text / Classification
160226	MR-J3ENCBL2M-H Encodercable; for HC-RP, HF-SN/SP/JP, HG-SN/SR, HK-KT/RT/ST; high flex.,2m, IP67 Class 100100508: FA-Servo-Motion: Cable
161563	MR-J3ENCBL5M-H Encodercable; for HC-RP, HF-SN/SP/JP, HG-SN/SR, HK-KT/RT/ST; high flex.,5m, IP67 Class 100100508: FA-Servo-Motion: Cable
161564	MR-J3ENCBL10M-H Encodercable; for HC-RP, HF-SN/SP/JP, HG-SN/SR, HK-KT/RT/ST; high flex.,10m,IP67 Class 100100508: FA-Servo-Motion: Cable
161565	MR-J3ENCBL20M-H Encodercable; for HC-RP, HF-SN,-SP,-JP, HG-SN,-SR, highflexible, 20m, IP67 Class 100100508: FA-Servo-Motion: Cable
161566	MR-J3ENCBL30M-H Encodercable; for HC-RP, HF-SN,-SP,-JP, HG-SN,-SR, highflexible, 30m, IP67 Class 100100508: FA-Servo-Motion: Cable
161567	MR-J3ENCBL2M-L Encodercable; for HC-RP, HF-SN/SP/JP, HG-SN/SR, HK-KT/RT/ST; 2m, IP67 Class 100100508: FA-Servo-Motion: Cable
161568	MR-J3ENCBL5M-L Encodercable; for HC-RP, HF-SN/SP/JP, HG-SN/SR, HK-KT/RT/ST; 5m, IP67 Class 100100508: FA-Servo-Motion: Cable
161569	MR-J3ENCBL10M-L Encodercable; for HC-RP, HF-SN/SP/JP, HG-SN/SR, HK-KT/RT/ST; 10m, IP67 Class 100100508: FA-Servo-Motion: Cable
161570	MR-J3ENCBL20M-L Encodercable; for HC-RP, HF-SN,-SP,-JP, HG-SN,-SR, 20m, IP67 Class 100100508: FA-Servo-Motion: Cable
161571	MR-J3ENCBL30M-L Encodercable; for HC-RP, HF-SN,-SP,-JP, HG-SN,-SR, 30m, IP67 Class 100100508: FA-Servo-Motion: Cable
161576	MR-J3SCNS Encoder-Connector-Set for HF-SE/SN/SP/JP, HG-JR/SN/SR, HK-ST/RT motor,(Straight) Class 100100509: FA-Servo-Motion: Connector
202275	PCS015N-02.0-0C4 Power cable for HG-SR52, HK-ST52(4)W/102(4)W/1724W/2024W/3024W; high flex.,2m Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
202276	PCS015N-05.0-0C4 Power cable for HG-SR52, HK-ST52(4)W/102(4)W/1724W/2024W/3024W; high flex.,5m Class 100100508: FA-Servo-Motion: Cable
202277	PCS015N-10.0-0C4 Power cable for HG-SR52, HK-ST52(4)W/102(4)W/1724W/2024W/3024W; high flex.,10m Class 100100508: FA-Servo-Motion: Cable
202278	PCS015N-20.0-0C4 Power cable for HG-SR52, HK-ST52(4)W/102(4)W/1724W/2024W/3024W; high flex.,20m Class 100100508: FA-Servo-Motion: Cable
202279	PCS015N-30.0-0C4 Power cable for HG-SR52, HK-ST52(4)W/102(4)W/1724W/2024W/3024W; high flex.,30m Class 100100508: FA-Servo-Motion: Cable
227425	MR-J3SCNSA Encoder-Connector-Set for HF-SE/SN/SP/JP, HG-JR/SN/SR, HK-ST/RT motor, (Angle) Class 100100509: FA-Servo-Motion: Connector
244812	MR-J3ENSCBL50M-H Encodercable; for HC-RP, HF-SN,-SP,-JP, HG-SN,-SR, highflexible, 50m, IP67 Class 100100508: FA-Servo-Motion: Cable
248686	MR-ENCNS2 Encoder Connector Set for HG-SN/SR, HK-ST/RT motor, IP67 (Straight Type) Class 100100509: FA-Servo-Motion: Connector
248687	MR-ENCNS2A Encoder Connector Set for HG-SN/SR, HK-ST/RT motor, IP67 (Angle Type) Class 100100509: FA-Servo-Motion: Connector
258932	PCS015N-06.0-0C4 Power cable; for HG-SR52,HF-SN/SP52,HF-SP524-1524,HF-JP534-1034,high flex., 6m Class 100100508: FA-Servo-Motion: Cable
258933	PCS015N-08.0-0C4 Power cable; for HG-SR52,HF-SN/SP52,HF-SP524-1524,HF-JP534-1034,high flex., 8m Class 100100508: FA-Servo-Motion: Cable
258934	PCS015N-12.0-0C4 Power cable; for HG-SR52,HF-SN/SP52,HF-SP524-1524,HF-JP534-1034,high flex., 12m Class 100100508: FA-Servo-Motion: Cable
258935	PCS015N-13.0-0C4 Power cable; for HG-SR52,HF-SN/SP52,HF-SP524-1524,HF-JP534-1034,high flex., 13m Class 100100508: FA-Servo-Motion: Cable
258936	PCS015N-15.0-0C4 Power cable; for HG-SR52,HF-SN/SP52,HF-SP524-1524,HF-JP534-1034,high flex., 15m Class 100100508: FA-Servo-Motion: Cable
258937	PCS015N-16.0-0C4 Power cable; for HG-SR52,HF-SN/SP52,HF-SP524-1524,HF-JP534-1034,high flex., 16m Class 100100508: FA-Servo-Motion: Cable
258938	PCS015N-18.0-0C4 Power cable; for HG-SR52,HF-SN/SP52,HF-SP524-1524,HF-JP534-1034,high flex., 18m Class 100100508: FA-Servo-Motion: Cable
269076	MR-J3ENSCBL40M-H Encodercable; for HC-RP, HF-SN,-SP,-JP, HG-SN,-SR, highflexible, 40m, IP67 Class 100100508: FA-Servo-Motion: Cable
333209	PCS015N-50.0-0C4 Power cable; for HG-SR52,HF-SN/SP52,HF-SP524-1524,HF-JP534-1034,high flex., 50m Class 100100508: FA-Servo-Motion: Cable
486871	PCS015N-55.0-0C4 Power cable; for HG-SR52,HF-SN/SP52,HF-SP524-1524,HF-JP534-1034,high flex., 55m Class 100100508: FA-Servo-Motion: Cable