



MATERIAL FACT SHEET

295438 MR-J4-60GF-RJ

General Data

Product Hierarchy	IAK30012
	SERVO and Motion
	MR-J4
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	B (Limited Availability from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000295438

FA-Servo-Motion: Servo Amplifier

Series	MELSERVO-J4
Type	MR-J4
Command Interface	CC-LINK IE FIELD NETWORK
Rated Capacity (kW)	0,6
Number of Axes	1
Safety Function Type	STO (IEC/EN 61800-5-2)
Power Supply 1 Phase (VAC)	200-240
Power Supply 3 Phase (VAC)	200-240
Dynamic Break	BUILT-IN

Product Dimensions & Weight

Width (mm)	50
Height (mm)	168
Depth (mm)	155
Weight (kg)	1

Logistic Dimensions & Gross Weight

Length (cm)	24,5
Width (cm)	22,5
Height (cm)	8,5
Gross Weight (kg)	1,233
Volume (cdm)	4,686

Stock Data

Planned Delivery Time (Days)	72
------------------------------	----

Life Cycle

Sales Start	01.04.2016
Predecessor	No Predecessor

Additional Product Information

Battery included	NO
------------------	----

Export Data

Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	1303-86-2
REACH Substance CAS Number (2)	15571-58-1
REACH Substance CAS Number (3)	68515-42-4
REACH Substance CAS Number (4)	7439-92-1
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO

WEEE	B2B
------	-----

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=MR-J4-60GF-RJ&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=MR-J4-60GF-RJ&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=MR-J4-60GF-RJ&doc-lang=en
Network configuration file URL	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blte8cf990c7c524b4e&q=MR-J4-60GF-RJ&doc-lang=en

Product Packaging

Cardboard (g)	220
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	10
Wood (g)	0
Glass (g)	0
Others (g)	0

Compatible products

Material	Description / Price List Text / Classification
55912	MR-J2CN1 Connector Kit CN1 I/O Class 100100509: FA-Servo-Motion: Connector
137279	MR-PWR-R 150-40 / MR-RFH 75-40 Brake resistor (200 V series) for MR-JE/J4/J5 40; Ohm/150 W Class 100100510: FA-Servo-Motion: Other Option
137281	MT-1.3-60 Three-Phase-Autotransformer 400/230 V; 1,3 kVA, 60 % ED Class 100100510: FA-Servo-Motion: Other Option
160229	MR-J3USBCBL3M USB PC Communication cable 3m Class 100100508: FA-Servo-Motion: Cable
161559	MR-EKCBL20M-H Encodercable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 20m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161560	MR-EKCBL30M-H Encodercable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 30m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161561	MR-EKCBL20M-L Encodercable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 20m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161562	MR-EKCBL30M-L Encodercable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 30m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161572	MR-ECNM Encoder-connector-set for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR motor types Class 100100509: FA-Servo-Motion: Connector
192174	MR-J3CN2 Encoder-connector-set (for CN2L) Class 100100509: FA-Servo-Motion: Connector
206147	PSU 25 Power supply unit for 100-240V AC; Output 24V DC, DIN rail mounting Class 100100304: FA-HMI: Other Option
212032	TB-20-EG (IT68) Terminal block, 20 pin., screw connection Class 100100510: FA-Servo-Motion: Other Option
212095	MR-J3TBL-CN3-1M-EG (IT69) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 1 m Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
212096	MR-J3TBL-CN3-05M-EG (IT70) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B - TB-20-EG , Length 0,5 m Class 100100508: FA-Servo-Motion: Cable
215497	MR-J3TBL-CN3-3M-EG (IT) Cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B- TB-20-EG , Length 3 m Class 100100508: FA-Servo-Motion: Cable
227486	MR-J3-D05 Safety Logic Unit for MR-J3-BSafety/MR-J4 Servo Amplifier Class 100100505: FA-Servo-Motion: Motion Control Option
227986	MR-D05UDL3M-B STO cable 3m Class 100100508: FA-Servo-Motion: Cable
229788	MR-EKCBL50M-H Encoder cable; for HF-KP(B)/HF-MP(B), high-flex 50m (lead out motor shaft), IP20 Class 100100508: FA-Servo-Motion: Cable
246915	MR-EKCBL5M-H Encoder cable; high-flex, 5m, IP20 Class 100100508: FA-Servo-Motion: Cable
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100100511: FA-Servo-Motion: Spare Part
248692	MR-BAT6V1 MR-J4 Battery 6V/1650mAh Class 100101303: FA-OTHERS: Battery
248693	MR-BT6VCASE Battery case (5 x MR-BAT6V1); w/o batteries Class 100100511: FA-Servo-Motion: Spare Part
248694	MR-BT6V1CBL03M Connection cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248695	MR-BT6V1CBL1M Connection cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
248696	MR-BT6V2CBL03M Expansion cable for MR-BT6VCASE 0.3 m Class 100100508: FA-Servo-Motion: Cable
248697	MR-BT6V2CBL1M Expansion cable for MR-BT6VCASE 1 m Class 100100508: FA-Servo-Motion: Cable
251540	MR Configurator2 V01-1L0C-E MELSERVO Setup-Software for MR-JE/-J3/-J4/-J5 Class 100101205: FA-Software: Software Motion
275670	MR-D30 Functional safety unit for MR-J4 (STO/SS1/SBC/SLS/SSM) Class 100100510: FA-Servo-Motion: Other Option
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100100511: FA-Servo-Motion: Spare Part
277559	MR-BAT6V1BJ MR-J4 Battery for junction battery cable Class 100101303: FA-OTHERS: Battery
277560	MR-BT6VCBL03M MR-J4 battery cable (0.3m) Class 100100508: FA-Servo-Motion: Cable
281981	MR-BAT6V1SET-A MR-JE-B / MR-J4-GF Battery-Set incl. MR-BAT6V1 Class 100100511: FA-Servo-Motion: Spare Part
281981	MR-BAT6V1SET-A MR-JE-B / MR-J4-GF Battery-Set incl. MR-BAT6V1 Class 100101303: FA-OTHERS: Battery
291739	MF-2F230-006.230MFC Radio interference filter for MR-J4-TM; 6 A; single phase 230 V AC /50-60 Hz Class 100100506: FA-Servo-Motion: Filter
295425	SC-E5EW-S05M Ethernet cable; CC-Link IE; category 5e; dbl. shielded/STP; straight;indoor;0.5m Class 100100214: FA-MOD PLC: Cable
295426	SC-E5EW-S1M Ethernet cable; CC-Link IE; category 5e; dbl. shielded/STP; straight; indoor; 1m Class 100100214: FA-MOD PLC: Cable

Material	Description / Price List Text / Classification
295427	SC-E5EW-S3M Ethernet cable; CC-Link IE; category 5e; dbl. shielded/STP; straight; indoor; 2m Class 100100214: FA-MOD PLC: Cable
303318	MR-J4CBL20-CN3-3M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 3m Class 100100508: FA-Servo-Motion: Cable
303906	MR-J4CBL20-CN3-1M-EG Connection cable MR-J5-B/MR-J5-G/MR-JET/MR-J4-B /MR-JE-B with open end - 1m Class 100100508: FA-Servo-Motion: Cable