



MATERIAL FACT SHEET

301948 FX5U-80MT/DSS

General Data

Product Hierarchy	IAD21701
	Compact PLC
	FX5U CPU
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000301948

FA-COM PLC: Main Unit

Series	MELSEC IQ-F SERIES
Type	FX5U
Power Supply (V)	24
Current Type	DC
Program Memory	64K STEPS
Program Memory Unit	FLASH
Integrated Digital Inputs	40
Integrated Digital Outputs	40
Integrated Analogue Inputs	2
Output Type	TRANSISTOR
Output Logic	SOURCE
Local I/O Points	256
Local + Remote I/O Points	512
Expandable	YES
Cycle Time LD (ns)	34
Cycle Time MOV (ns)	34
Ethernet Port	1
RS-485	1
Power Consumption (W)	45
Buffer Battery	OPTION
Protection Class	IP10
Min. Ambient Temperature (°C)	0
Max. Ambient Temperature (°C)	55

Product Dimensions & Weight

Width (mm)	285
Height (mm)	90
Depth (mm)	83
Weight (kg)	1,2

Logistic Dimensions & Gross Weight

Length (cm)	35,0
Width (cm)	12,0
Height (cm)	11,0
Gross Weight (kg)	1,322
Volume (cdm)	4,620

Stock Data

Planned Delivery Time (Days)	58
------------------------------	----

Life Cycle

Sales Start	01.11.2016
Predecessor	No Predecessor

Additional Product Information

Binding Tariff Information	DEBTI-10856/21-1
BTI validity date	10.10.2024

Battery included	NO
------------------	----

Export Data

Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	NO
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
Shipping Approvals	ABS,BV,DNV GL,KR,LR,NK,RINA
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=FX5U-80MT/DSS&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=FX5U-80MT/DSS&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=FX5U-80MT/DSS&doc-lang=en

Product Packaging

Cardboard (g)	242
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	1
Wood (g)	0
Glass (g)	0
Others (g)	0

Spare parts

Material	Description	Quantity	Unit
302395	FX5U-32/64/80Mx /ES/ESS COVER TOP	1	PC
302394	FX5/U-32/64/80Ex/Mx /ES/ESS COVER EXT	1	PC
302400	FX5U-32/64/80Mx /ES/ESS COVER CONNECTOR	1	PC
302376	FX5U-32/64/80Mx /ES/ESS PCB I/F	1	PC

Compatible products

Material	Description / Price List Text / Classification
165286	FX3U-32BL PLC, FX3U/C Battery Class 100100112: FA-COM PLC: Spare Part
165286	FX3U-32BL PLC, FX3U/C Battery Class 100101303: FA-OTHERS: Battery
169507	FX3U-1PSU-5V PLC, FX Series Power supply module for 5V bus Class 100100111: FA-COM PLC: Other Option
278166	SC-E5EW-S45M Ethernet cable; CC-Link IE; category 5e; dbl. shielded/STP; straight; indoor;45m Class 100100214: FA-MOD PLC: Cable
280509	FX5-1PSU-5V FX5;Power Supply Unit 5VDC Bus Class 100100111: FA-COM PLC: Other Option
280510	FX5-CNV-BUS FX5;FX3 Bus Conversion Unit Class 100100111: FA-COM PLC: Other Option
280511	FX5-232-BD FX5;Serial Communication Board;RS-232 Class 100100107: FA-COM PLC: Serial Com Module

Material	Description / Price List Text / Classification
280512	FX5-485-BD FX5;Serial Communication Board;RS-485 Class 100100107: FA-COM PLC: Serial Com Module
280515	FX5-422-BD-GOT FX5;Serial Communication Board;RS-422;Communication to GOT only Class 100100107: FA-COM PLC: Serial Com Module
283557	FX5-CNV-IFC FX5UC;FX5U Bus Converter Class 100100111: FA-COM PLC: Other Option
283558	FX5-CNV-BUSC FX5UC;FX3 Bus Conversion Unit Class 100100111: FA-COM PLC: Other Option
284378	GX Works3 V01-2L0C-E PLC Programming-S/W for Melsec iQ-R/iQ- F;engl;USB;2 PC´s Class 100101201: FA-Software: Software PLC
284379	GX Works3 V01-5L0C-E PLC Programming-S/W for Melsec iQ-R/iQ- F; engl; USB; 5 PC´s Class 100101201: FA-Software: Software PLC
284966	NZ1MEM-2GBSD SD Memory Card; 2 GByte Class 100100215: FA-MOD PLC: Other Option
284967	NZ1MEM-4GBSD SD Memory Card; 4 GByte Class 100100215: FA-MOD PLC: Other Option
284968	NZ1MEM-8GBSD SD Memory Card; 8 GByte Class 100100215: FA-MOD PLC: Other Option
284969	NZ1MEM-16GBSD SD Memory Card; 16 GByte Class 100100215: FA-MOD PLC: Other Option
286227	iQ Works V02-2L0C-E iQ Works V2.0;incl Navigator,GX Works,GT Works,MT Works;engl;USB;2 PC´s Class 100101201: FA-Software: Software PLC
286228	iQ Works V02-5L0C-E iQ Works V2.0;incl Navigator,GX Works,GT Works,MT Works;engl;USB;5 PC´s Class 100101201: FA-Software: Software PLC
291807	SC-E5EW-S1M-MV Ethernet cable; CC-Link IE; category 5e; dbl. shielded/STP; straight; indoor; 1m Class 100100214: FA-MOD PLC: Cable
291808	SC-E5EW-S3M-MV Ethernet cable; CC-Link IE; category 5e; dbl. shielded/STP; straight; indoor; 3m Class 100100214: FA-MOD PLC: Cable
294586	FX5-C1PS-5V FX5UC;Power Supply Unit 5VDC Bus Class 100100111: FA-COM PLC: Other Option
295425	SC-E5EW-S05M Ethernet cable; CC-Link IE; category 5e; dbl. shielded/STP; straight;indoor;0.5m Class 100100214: FA-MOD PLC: Cable
295426	SC-E5EW-S1M Ethernet cable; CC-Link IE; category 5e; dbl. shielded/STP; straight; indoor; 1m Class 100100214: FA-MOD PLC: Cable
295427	SC-E5EW-S3M Ethernet cable; CC-Link IE; category 5e; dbl. shielded/STP; straight; indoor; 2m Class 100100214: FA-MOD PLC: Cable
297455	FX5-CNV-IF FX5;FX5UC Bus converter Class 100100111: FA-COM PLC: Other Option
297456	FX5-CNV-BC FX5;Bus Extension cable connector Class 100100111: FA-COM PLC: Other Option
297457	FX5-30EC FX5;Bus Extension cable (0,3m) Class 100100110: FA-COM PLC: Cable
297458	FX5-65EC FX5;Bus Extension cable (0,65m) Class 100100110: FA-COM PLC: Cable
303426	iQ Works V02-15L0C-E iQ Works V2.0;incl Navigator,GX Works,GT Works,MT Works;engl;USB;15 PC´s Class 100101201: FA-Software: Software PLC

Material	Description / Price List Text / Classification
304614	GX Works3 V01-2L0C-G PLC Programming SW; Melsec iQ-R/iQ- F only (no GXW2/GX Dev); USB; 2 PCs; German Class 100101201: FA-Software: Software PLC
304645	GX Works3 V01-5L0C-G PLC Programming SW; Melsec iQ-R/iQ- F only (no GXW2/GX Dev); USB; 5 PCs; German Class 100101201: FA-Software: Software PLC
308856	GX Works3 V01-2L0C-IT PLC Programming-S/W for Melsec iQ-R/iQ- F;engl;USB;2 PC's; Italian Class 100101201: FA-Software: Software PLC
338821	iQ Works V02-2L0C-G iQ Works V2.0;incl Navigator,GX Works,GT Works,MT Works;German;USB;2 PC's Class 100101201: FA-Software: Software PLC
339022	iQ Works V02-5L0C-G iQ Works V2.0;incl Navigator,GX Works,GT Works,MT Works;German;USB;5 PC's Class 100101201: FA-Software: Software PLC
340984	Transcend SDHC card 16GB Class 10 SDHC memory card 16GB; Class 10; R: 30MB/s; W: 15MB/s Class 100100304: FA-HMI: Other Option
401853	iQ Works V02-2L0C-IT iQ Works V2.0;incl Navigator,GX Works,GT Works,MT Works;Italian;USB;2 PCs Class 100101201: FA-Software: Software PLC
413182	SC-E5EW-S10M Ethernet cable; CC-Link IE; category 5e; dbl. shielded/STP; straight; indoor;10m Class 100100214: FA-MOD PLC: Cable
413183	SC-E5EW-S25M Ethernet cable; CC-Link IE; category 5e; dbl. shielded/STP; straight; indoor;25m Class 100100214: FA-MOD PLC: Cable
413184	SC-E5EW-S5M Ethernet cable; CC-Link IE; category 5e; dbl. shielded/STP; straight; indoor; 5m Class 100100214: FA-MOD PLC: Cable
413493	TRIO-PS-2G/1AC/24DC/5 Power supply unit for 100-240V AC; Output 24V DC / 5A, DIN rail mounting Class 100100304: FA-HMI: Other Option
414700	TRIO-PS-2G/1AC/24DC/3/C2LPS Power supply unit for 100-240V AC; Output 24V DC / 3A C2LPS, DIN rail mounting Class 100100304: FA-HMI: Other Option
486376	SC-E5EW-S2M Ethernet cable; CC-Link IE; category 5e; dbl. shielded/STP; straight; indoor; 2m Class 100100214: FA-MOD PLC: Cable
486377	SC-E5EW-S4M Ethernet cable; CC-Link IE; category 5e; dbl. shielded/STP; straight; indoor; 4m Class 100100214: FA-MOD PLC: Cable
487403	SC-E5EW-S15M Ethernet cable; CC-Link IE; category 5e; dbl. shielded/STP; straight; indoor;15m Class 100100214: FA-MOD PLC: Cable
487404	SC-E5EW-S20M Ethernet cable; CC-Link IE; category 5e; dbl. shielded/STP; straight; indoor;20m Class 100100214: FA-MOD PLC: Cable
491761	Verbatim microSDHC Card 16GB Class 10 MicroSDHC memory card 16GB; Class 10; R/W: 10MB/s; adapter included Class 100100215: FA-MOD PLC: Other Option
506252	TRIO-PS-2G/1AC/24DC/10 Primary switched power supply; input: single phase, output: 24 VDC/10A, DIN rail Class 100100304: FA-HMI: Other Option
506253	TRIO-PS-2G/1AC/24DC/20 Primary switched power supply; input: single phase, output: 24 VDC/20A, DIN rail Class 100100304: FA-HMI: Other Option
506254	TRIO-PS-2G/3AC/24DC/20 Primary switched power supply; input: 3-phase, output: 24 VDC/20A, DIN rail Class 100100304: FA-HMI: Other Option
506255	TRIO-PS-2G/3AC/24DC/40 Primary switched power supply; input: 3-phase, output: 24 VDC/40A, DIN rail Class 100100304: FA-HMI: Other Option
557483	SC-E5EW-S100M Ethernet cable; CC-Link IE; category 5e; dbl. shielded/STP; straight;indoor;100m Class 100100214: FA-MOD PLC: Cable
612154	FX5-CNV-BUS-BS FX5;FX3 Bus Conversion Unit; coated Class 100100111: FA-COM PLC: Other Option

Material	Description / Price List Text / Classification
612156	FX5-CNV-IFC-BS FX5UC;FX5U Bus Converter; coated Class 100100111: FA-COM PLC: Other Option
612268	Transcend SDHC Card 8GB Class 4 SDHC memory card 8GB; Class 4; R: 18MB/s; W: 6MB/s Class 100100304: FA-HMI: Other Option