



## MATERIAL FACT SHEET

### 200690 Q64DAN

#### General Data

Product Hierarchy	IAD50702
	Modular PLC
	Q-Single
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

Shop: <https://emea-fa.mitsubishielectric.com/fa/shop/material-page/00000000000200690>

#### FA-MOD PLC: Analogue I/O Module

Series	MELSEC-Q SERIES
Type	ANALOG OUTPUT
Power Supply (V)	24
Current Type	DC
Occupied I/O Points on PLC	16
Integrated Analogue Outputs	4
Output Voltage Range (V)	-10-10; 0-5; 1-5
Output Current Range (mA)	0-20; 4-20
Wiring	SCREW
Int. Current Consumption (A)	0,34

#### Product Dimensions & Weight

Width (mm)	27,4
Height (mm)	98
Depth (mm)	112
Weight (kg)	0,2

#### Logistic Dimensions & Gross Weight

Length (cm)	17,0
Width (cm)	15,0
Height (cm)	7,0
Gross Weight (kg)	0,278
Volume (cdm)	1,785

#### Stock Data

Planned Delivery Time (Days)	94
------------------------------	----

#### Life Cycle

Sales Start	06.02.2007
Predecessor	127590 / Q64DA
Successor	<a href="#">279557 / R60DA4</a>

#### Additional Product Information

Binding Tariff Information	DEBTI-10685/21-1
BTI validity date	31.10.2024
Battery included	NO
Product Code	PLC(NAGOYA)

#### Export Data

Commodity Code	85389099
Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

#### Environmental

REACH Limit Exceeded	YES
----------------------	-----

REACH Substance CAS Number	<a href="#">71868-10-5</a>
REACH Substance CAS Number (2)	<a href="#">7439-92-1</a>
REACH Substance CAS Number (3)	<a href="#">75980-60-8</a>
REACH Substance CAS Number (4)	<a href="#">80-05-7</a>
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

### Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	NON-COMPLIANT
Shipping Approvals	ABS,BV,DNV GL,LR,NK,RINA
UKCA	COMPLIANT

### Documentation & Media Data

Manual URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=bltdae25c2bd5f2f94&amp;q=Q64DAN&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=bltdae25c2bd5f2f94&amp;q=Q64DAN&amp;doc-lang=en</a>
Certificates URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt8050dd1408c11cc2&amp;q=Q64DAN&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt8050dd1408c11cc2&amp;q=Q64DAN&amp;doc-lang=en</a>
CAD URL Indicator	<a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt26ecc97a31a841c1&amp;q=Q64DAN&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt26ecc97a31a841c1&amp;q=Q64DAN&amp;doc-lang=en</a>

### Product Packaging

Cardboard (g)	55
Other paper (g)	1
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	17
Wood (g)	0
Glass (g)	0
Others (g)	0