



MATERIAL FACT SHEET

493380 HG-KNS43BK

General Data

Product Hierarchy	IAK30226
	SERVO and Motion
	HG-KN
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	B (Limited Availability from Stock)

e-shop: <https://emea.mitsubishielectric.com/fa/shop/material-page/000000000000493380>

FA-Servo-Motion: Servo Motor

Series	MELSERVO-JET
Type	HG-KNS
Power Supply (V)	200
Rated Capacity (kW)	0,4
Inertia	LOW INERTIA
Rated Torque (Nm)	1,3
Maximum Torque (Nm)	3,8
Rated Speed (rpm)	3000
Maximum Speed (rpm)	6000
Inertia (kg*cm ²)	0,397
Brake	YES
Shaft Type	KEYWAY
Protection Class	IP65
Current Type	AC
Encoder Type	22-BIT
Encoder Resolution (p/rev)	4194304

Product Dimensions & Weight

Width (mm)	60
Height (mm)	77,1
Depth (mm)	165,1
Weight (kg)	1,8

Logistic Dimensions & Gross Weight

Length (cm)	24,0
Width (cm)	11,0
Height (cm)	10,0
Gross Weight (kg)	1,807
Volume (cdm)	2,640

Stock Data

Planned Delivery Time (Days)	175
------------------------------	-----

Life Cycle

Sales Start	08.11.2019
Predecessor	No Predecessor

Additional Product Information

Difference to Standard 1	KEYWAY SHAFT
Binding Tariff Information	DEBTI-10870/26-1
BTI validity date	14.05.2029
Battery included	NO
Product Code	SERVO

Export Data

Commodity Code	85015100
----------------	----------

Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	119313-12-1
REACH Substance CAS Number (2)	3147-75-9
REACH Substance CAS Number (3)	7439-92-1
REACH Substance CAS Number (4)	96-45-7
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2f94&q=HG-KNS43BK&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=HG-KNS43BK&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=HG-KNS43BK&doc-lang=en

Product Packaging

Cardboard (g)	110
Other paper (g)	36
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	13
Wood (g)	0
Glass (g)	0
Others (g)	0

Spare parts

Material	Description	Quantity	Unit
201570	HC-PQ/HC-MF13-53 BALL BEARING	1	PC
278666	HG-KR/MR 053(B) - 73(B) ENCODER OBA24R	1	PC
191210	HF-KP/MP23-43(B) ENCODER COVER	1	PC
278652	HG-KR/MR-23/43B - 23/43B P-BRACKET	1	PC
278655	HG-KR/MR-23/43 O-BRACKET	1	PC
191194	HF-KP/MP23-43(B) PRE LOAD SPRING	1	PC
278667	HG-KR/MR 053(B) - 73(B) ENCODER LEAD	1	PC
191182	HF-KP/MP23-43(B) O-RING LOAD SIDE	1	PC
191191	HF-KP/MP23-43(B) O-RING ENCODER SIDE	1	PC

Compatible products

Material	Description / Price List Text / Classification
154367	MR-J3JCBL03M-A2-L Encoder cable; for HF-KN,-KP,-MP, HG-KR,-MR, 0.3m (lead out encoder), IP20 Class 100100508: FA-Servo-Motion: Cable
160227	MR-PWS1CBL2M-A1-H Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, high flex, 2m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
160228	MR-PWS1CBL2M-A2-H Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, high flexible, 2m (Encoder) Class 100100508: FA-Servo-Motion: Cable
160230	MR-J3ENCBL2M-A2-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, highflexible, 2m (encoder) Class 100100508: FA-Servo-Motion: Cable
160311	MR-BKS1CBL2M-A2-H Brake cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, high flexible, 2m (Encoder) Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
160312	MR-J3ENCBL2M-A1-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, highflex. 2m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161547	MR-J3ENCBL5M-A1-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, highflex. 5m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161548	MR-J3ENCBL10M-A1-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, highflex. 10m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161549	MR-J3ENCBL2M-A1-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 2m (lead out motor shaft) Class 100100508: FA-Servo-Motion: Cable
161550	MR-J3ENCBL5M-A1-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 5m (lead out motor shaft) Class 100100508: FA-Servo-Motion: Cable
161551	MR-J3ENCBL10M-A1-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 10m (lead out motor shaft) Class 100100508: FA-Servo-Motion: Cable
161552	MR-J3ENCBL5M-A2-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, highflexible, 5m (encoder) Class 100100508: FA-Servo-Motion: Cable
161553	MR-J3ENCBL10M-A2-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, highflexible, 10m (encoder) Class 100100508: FA-Servo-Motion: Cable
161554	MR-J3ENCBL2M-A2-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 2m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161555	MR-J3ENCBL5M-A2-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 5m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161556	MR-J3ENCBL10M-A2-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 10m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161557	MR-J3JCBLO3M-A1-L Encoder cable; for HF-KN,-KP,-MP, HG-KR,-MR, 0.3m (lead out motor shaft), IP20 Class 100100508: FA-Servo-Motion: Cable
161559	MR-EKCB20M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 20m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161560	MR-EKCB30M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 30m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161561	MR-EKCB20M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 20m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161562	MR-EKCB30M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 30m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161572	MR-ECNM Encoder-connector-set for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR motor types Class 100100509: FA-Servo-Motion: Connector
161592	MR-PWS1CBL5M-A1-H Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, high flex, 5m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161593	MR-PWS1CBL10M-A1-H Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, high flex, 10m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161594	MR-PWS1CBL2M-A1-L Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 2m (Lead out motor shaft) Class 100100508: FA-Servo-Motion: Cable
161595	MR-PWS1CBL5M-A1-L Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 5m (Lead out motor shaft) Class 100100508: FA-Servo-Motion: Cable
161596	MR-PWS1CBL10M-A1-L Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 10m (Lead out motor shaft) Class 100100508: FA-Servo-Motion: Cable
161597	MR-PWS1CBL5M-A2-H Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, high flexible, 5m (Encoder) Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
161598	MR-PWS1CBL10M-A2-H Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, high flexible, 10m (Encoder) Class 100100508: FA-Servo-Motion: Cable
161599	MR-PWS1CBL2M-A2-L Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 2m (Lead out Encoder) Class 100100508: FA-Servo-Motion: Cable
161600	MR-PWS1CBL5M-A2-L Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 5m (Lead out Encoder) Class 100100508: FA-Servo-Motion: Cable
161601	MR-PWS1CBL10M-A2-L Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 10m (Lead out Encoder) Class 100100508: FA-Servo-Motion: Cable
161602	MR-PWS2CBL03M-A1-L Power cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 0,3 m (Lead out motor shaft) Class 100100508: FA-Servo-Motion: Cable
161603	MR-PWS2CBL03M-A2-L Power cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 0,3 m (Lead out Encoder) Class 100100508: FA-Servo-Motion: Cable
161604	MR-BKS1CBL2M-A1-H Brake cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, high flexible,2m(motor shaft) Class 100100508: FA-Servo-Motion: Cable
161605	MR-BKS1CBL5M-A1-H Brake cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, high flexible,5m(motor shaft) Class 100100508: FA-Servo-Motion: Cable
161606	MR-BKS1CBL10M-A1-H Brake cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR,high flexible,10m(motor shaft) Class 100100508: FA-Servo-Motion: Cable
161607	MR-BKS1CBL2M-A1-L Brake cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 2m (Lead out motor shaft) Class 100100508: FA-Servo-Motion: Cable
161608	MR-BKS1CBL5M-A1-L Brake cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 5m (Lead out motor shaft) Class 100100508: FA-Servo-Motion: Cable
161609	MR-BKS1CBL10M-A1-L Brake cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 10m (Lead out motor shaft) Class 100100508: FA-Servo-Motion: Cable
161610	MR-BKS1CBL5M-A2-H Brake cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, high flexible, 5m (Encoder) Class 100100508: FA-Servo-Motion: Cable
161611	MR-BKS1CBL10M-A2-H Brake cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, high flexible, 10m (Encoder) Class 100100508: FA-Servo-Motion: Cable
161612	MR-BKS1CBL2M-A2-L Brake cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 2m (Lead out Encoder) Class 100100508: FA-Servo-Motion: Cable
161613	MR-BKS1CBL5M-A2-L Brake cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 5m (Lead out Encoder) Class 100100508: FA-Servo-Motion: Cable
161614	MR-BKS1CBL10M-A2-L Brake cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 10m (Lead out Encoder) Class 100100508: FA-Servo-Motion: Cable
161615	MR-BKS2CBL03M-A1-L Brake cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 0,3 m (Lead out motor shaft) Class 100100508: FA-Servo-Motion: Cable
161616	MR-BKS2CBL03M-A2-L Brake cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 0,3 m (Lead out Encoder) Class 100100508: FA-Servo-Motion: Cable
209504	MR-J3ENCBL3M-A2-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 3m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
229788	MR-EKCB5M-H Encoder cable; for HF-KP(B)/HF-MP(B), high-flex 50m (lead out motor shaft), IP20 Class 100100508: FA-Servo-Motion: Cable
246915	MR-EKCB5M-H Encoder cable; high-flex, 5m, IP20 Class 100100508: FA-Servo-Motion: Cable
269075	MR-EKCB40M-H Encoder cable; Highflexible; 40 m; IP20; Class 100100508: FA-Servo-Motion: Cable