



MATERIAL FACT SHEET

261432 HG-SR1024

General Data

Product Hierarchy	IAK30222
	SERVO and Motion
	HG-SR
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: <https://emea.mitsubishielectric.com/fa/shop/material-page/00000000000261432>

FA-Servo-Motion: Servo Motor

Series	MELSERVO-J4
Type	HG-SR
Power Supply (V)	400
Rated Capacity (kW)	1
Inertia	MEDIUM INERTIA
Rated Torque (Nm)	4,8
Maximum Torque (Nm)	14,3
Rated Speed (rpm)	2000
Maximum Speed (rpm)	3000
Inertia (kg*cm ²)	11,6
Brake	NO
Shaft Type	STRAIGHT SHAFT
Protection Class	IP67
Current Type	AC
Encoder Type	22-BIT
Encoder Resolution (p/rev)	4194304

Product Dimensions & Weight

Width (mm)	130
Height (mm)	177,5
Depth (mm)	187,5
Weight (kg)	6,2

Logistic Dimensions & Gross Weight

Length (cm)	31,5
Width (cm)	16,0
Height (cm)	23,0
Gross Weight (kg)	6,270
Volume (cdm)	11,592

Stock Data

Planned Delivery Time (Days)	91
------------------------------	----

Life Cycle

Sales Start	02.06.2013
Predecessor	192043 / HF-SP1024 1KW 2000RPM

Additional Product Information

Binding Tariff Information	DEBTI-10611/21-1
BTI validity date	26.09.2024
Battery included	NO
Product Code	SERVO

Export Data

Commodity Code	85015220
Legal Control (Dual Use List)	Not Listed

Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	NO
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=HG-SR1024&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=HG-SR1024&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=HG-SR1024&doc-lang=en

Product Packaging

Cardboard (g)	530
Other paper (g)	35
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	23
Wood (g)	0
Glass (g)	0
Others (g)	0

Spare parts

Material	Description	Quantity	Unit
191212	HF-SP52/102/152(B) CONNECTOR PIN	3	PC
278628	HG-SR-51 - 152 P-BRACKET	1	PC
278630	HG-SR-51 - 152 O-BRACKET	1	PC
191223	HF-SP52/102/152(B) O-RING FOR FRAME/BRAK	2	PC
191225	HF-SP52/102/152(B) O-RING FOR MOUNT/BRAC	1	PC
191227	HF-SP52/102/152(B) CONNECTOR POWER	1	PC
191230	HF-SP52/102/152(B) O-ring for connector	1	PC
191238	HF-SP52/102/152(B) PRE LOAD SPRING	1	PC
191240	HF-SP52/102/152(B) BEARING TMB206ZZ	1	PC
332676	HG-SR51-152(4)/(B)(W0C) BEARING	1	PC
191245	HF-SP52/102/152(B) O-RINGP-BR/WEIGHT	1	PC
278646	HG-SR-51A/B - 702A/B ENCODER SET	1	PC
191248	HF-SP52 up to 702(B) JOINT OLDHAM	1	PC
191249	HF-SP52 up to 702(B) JOINT TORQUE DISC	1	PC
191250	HF-SP52 up to 702(B) O-RING FOR ENCODER	1	PC
755676	HG-SNS52(B)-SNS302(B) BEARING BRACKET	1	PC

Compatible products

Material	Description / Price List Text / Classification
160226	MR-J3ENSCBL2M-H Encoder cable; for HC-RP, HF-SN/SP/JP, HG-SN/SR, HK-KT/RT/ST; high flex.,2m, IP67 Class 100100508: FA-Servo-Motion: Cable
161563	MR-J3ENSCBL5M-H Encoder cable; for HC-RP, HF-SN/SP/JP, HG-SN/SR, HK-KT/RT/ST; high flex.,5m, IP67 Class 100100508: FA-Servo-Motion: Cable
161564	MR-J3ENSCBL10M-H Encoder cable; for HC-RP, HF-SN/SP/JP, HG-SN/SR, HK-KT/RT/ST; high flex.,10m,IP67 Class 100100508: FA-Servo-Motion: Cable
161565	MR-J3ENSCBL20M-H Encoder cable; for HC-RP, HF-SN,-SP,-JP, HG-SN,-SR, highflexible, 20m, IP67 Class 100100508: FA-Servo-Motion: Cable
161566	MR-J3ENSCBL30M-H Encoder cable; for HC-RP, HF-SN,-SP,-JP, HG-SN,-SR, highflexible, 30m, IP67 Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
161567	MR-J3ENSCBL2M-L Encoder cable; for HC-RP, HF-SN/SP/JP, HG-SN/SR, HK-KT/RT/ST; 2m, IP67 Class 100100508: FA-Servo-Motion: Cable
161568	MR-J3ENSCBL5M-L Encoder cable; for HC-RP, HF-SN/SP/JP, HG-SN/SR, HK-KT/RT/ST; 5m, IP67 Class 100100508: FA-Servo-Motion: Cable
161569	MR-J3ENSCBL10M-L Encoder cable; for HC-RP, HF-SN/SP/JP, HG-SN/SR, HK-KT/RT/ST; 10m, IP67 Class 100100508: FA-Servo-Motion: Cable
161570	MR-J3ENSCBL20M-L Encoder cable; for HC-RP, HF-SN,-SP,-JP, HG-SN,-SR, 20m, IP67 Class 100100508: FA-Servo-Motion: Cable
161571	MR-J3ENSCBL30M-L Encoder cable; for HC-RP, HF-SN,-SP,-JP, HG-SN,-SR, 30m, IP67 Class 100100508: FA-Servo-Motion: Cable
161576	MR-J3SCNS Encoder-Connector-Set for HF-SE/SN/SP/JP, HG-JR/SN/SR, HK-ST/RT motor, (Straight) Class 100100509: FA-Servo-Motion: Connector
202275	PCS015N-02.0-0C4 Power cable for HG-SR52, HK-ST52(4)W/102(4)W/1724W/2024W/3024W; high flex.,2m Class 100100508: FA-Servo-Motion: Cable
202276	PCS015N-05.0-0C4 Power cable for HG-SR52, HK-ST52(4)W/102(4)W/1724W/2024W/3024W; high flex.,5m Class 100100508: FA-Servo-Motion: Cable
202277	PCS015N-10.0-0C4 Power cable for HG-SR52, HK-ST52(4)W/102(4)W/1724W/2024W/3024W; high flex.,10m Class 100100508: FA-Servo-Motion: Cable
202278	PCS015N-20.0-0C4 Power cable for HG-SR52, HK-ST52(4)W/102(4)W/1724W/2024W/3024W; high flex.,20m Class 100100508: FA-Servo-Motion: Cable
202279	PCS015N-30.0-0C4 Power cable for HG-SR52, HK-ST52(4)W/102(4)W/1724W/2024W/3024W; high flex.,30m Class 100100508: FA-Servo-Motion: Cable
227425	MR-J3SCNSA Encoder-Connector-Set for HF-SE/SN/SP/JP, HG-JR/SN/SR, HK-ST/RT motor, (Angle) Class 100100509: FA-Servo-Motion: Connector
244812	MR-J3ENSCBL50M-H Encoder cable; for HC-RP, HF-SN,-SP,-JP, HG-SN,-SR, highflexible, 50m, IP67 Class 100100508: FA-Servo-Motion: Cable
248686	MR-ENCNS2 Encoder Connector Set for HG-SN/SR, HK-ST/RT motor, IP67 (Straight Type) Class 100100509: FA-Servo-Motion: Connector
248687	MR-ENCNS2A Encoder Connector Set for HG-SN/SR, HK-ST/RT motor, IP67 (Angle Type) Class 100100509: FA-Servo-Motion: Connector
258932	PCS015N-06.0-0C4 Power cable; for HG-SR52, HF-SN/SP52, HF-SP524-1524, HF-JP534-1034, high flex., 6m Class 100100508: FA-Servo-Motion: Cable
258933	PCS015N-08.0-0C4 Power cable; for HG-SR52, HF-SN/SP52, HF-SP524-1524, HF-JP534-1034, high flex., 8m Class 100100508: FA-Servo-Motion: Cable
258934	PCS015N-12.0-0C4 Power cable; for HG-SR52, HF-SN/SP52, HF-SP524-1524, HF-JP534-1034, high flex., 12m Class 100100508: FA-Servo-Motion: Cable
258935	PCS015N-13.0-0C4 Power cable; for HG-SR52, HF-SN/SP52, HF-SP524-1524, HF-JP534-1034, high flex., 13m Class 100100508: FA-Servo-Motion: Cable
258936	PCS015N-15.0-0C4 Power cable; for HG-SR52, HF-SN/SP52, HF-SP524-1524, HF-JP534-1034, high flex., 15m Class 100100508: FA-Servo-Motion: Cable
258937	PCS015N-16.0-0C4 Power cable; for HG-SR52, HF-SN/SP52, HF-SP524-1524, HF-JP534-1034, high flex., 16m Class 100100508: FA-Servo-Motion: Cable
258938	PCS015N-18.0-0C4 Power cable; for HG-SR52, HF-SN/SP52, HF-SP524-1524, HF-JP534-1034, high flex., 18m Class 100100508: FA-Servo-Motion: Cable
269076	MR-J3ENSCBL40M-H Encoder cable; for HC-RP, HF-SN,-SP,-JP, HG-SN,-SR, highflexible, 40m, IP67 Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
333209	PCS015N-50.0-0C4 Power cable; for HG-SR52, HF-SN/SP52, HF-SP524-1524, HF-JP534-1034, high flex., 50m Class 100100508: FA-Servo-Motion: Cable
486871	PCS015N-55.0-0C4 Power cable; for HG-SR52, HF-SN/SP52, HF-SP524-1524, HF-JP534-1034, high flex., 55m Class 100100508: FA-Servo-Motion: Cable