



MATERIAL FACT SHEET

675068 GT2710-STBD-040

General Data

Product Hierarchy	IAT93002
	HMI
	Large HMI
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	C (Non-Stock Material / Make-to-Order)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_I/A/EUR/en/p/000000000000675068

FA-HMI: Human Machine Interface

Series	GOT2000 SERIES
Type	GT27 MODEL
Power Supply (V)	24
Current Type	DC
Display	TFT
Display Colour	65536
Display Size (Inch)	10
Resolution (Pixels)	800X600
Internal Memory Capacity (MB)	256
Memory Card Slot	SD
USB	3
Ethernet Port	1
RS-232	1
RS-422/485	1
Slot for Optional Cards	YES
Protection Class	IP67F

Logistic Dimensions & Gross Weight

Length (cm)	38,0
Width (cm)	29,0
Height (cm)	12,0
Gross Weight (kg)	2,967
Volume (cdm)	13,224

Stock Data

Planned Delivery Time (Days)	212
------------------------------	-----

Life Cycle

Sales Start	02.08.2022
Predecessor	No Predecessor

Additional Product Information

Battery included	YES - CHECK SPARE PART LIST
------------------	-----------------------------

Export Data

Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
WEEE	B2B

Conformity

CE	COMPLIANT
----	-----------

UKCA	COMPLIANT
------	-----------

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=GT2710-STBD-040&doc-lang=en
CAD URL Indicator	X

Product Packaging

Cardboard (g)	640,0
Other paper (g)	0
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	25,7
Wood (g)	0
Glass (g)	0
Others (g)	0

Spare parts

Material	Description	Quantity	Unit
163943	GT11-50BAT	1	PC

Compatible products

Material	Description / Price List Text / Classification
163948	GT01-C30R4-8P Conn.cable F-CPU+GOT2000/GOT1000/GOT Simple;3m Class 100100303: FA-HMI: Cable
163949	GT01-C10R4-8P GOT Connection cable for CPU (MELSEC FX series) and GOT1000-series HMIs; 1 m Class 100100303: FA-HMI: Cable
163950	GT01-C100R4-8P GOT Connection cable for CPU (MELSEC FX series) and GOT1000-series HMIs; 10 m Class 100100303: FA-HMI: Cable
163951	GT01-C200R4-8P GOT Connection cable for CPU (MELSEC FX series) and GOT1000-series HMIs; 20 m Class 100100303: FA-HMI: Cable
163952	GT01-C300R4-8P GOT Connection cable for CPU CPU (MELSEC FX series) and GOT1000-series; 30 m Class 100100303: FA-HMI: Cable
163953	GT01-C30R4-25P Conn.cable AnS/QnAS/A/QnA/F-CPU+GOT2000/GOT1000/GOT Simple;3m Class 100100303: FA-HMI: Cable
163954	GT01-C100R4-25P GOT Connection cable for CPU (MELSEC AnS/QnAS or A/QnA) and GOT1000-series; 10 m Class 100100303: FA-HMI: Cable
163955	GT01-C200R4-25P GOT Connection cable for CPU (MELSEC AnS/QnAS or A/QnA) and GOT1000-series; 20 m Class 100100303: FA-HMI: Cable
163956	GT01-C300R4-25P GOT Connection cable for CPU (MELSEC AnS/QnAS or A/QnA) and GOT1000-series; 30 m Class 100100303: FA-HMI: Cable
163957	GT01-C30R2-9S GOT Connection cable for CPU (MELSEC FX with 9pin) and GOT1000-series HMIs; 3 m Class 100100303: FA-HMI: Cable
163958	GT01-C30R2-25P Connection cable; FXCPU D-sub 25-pin to GOT/PC (GT SoftGOT2000/1000) D-sub 9-pin Class 100100303: FA-HMI: Cable
163959	GT01-C30R2-6P Conn.cable Q/LCPU+GOT2000/GOT1000/GOT Simple / Progr.cable GT1020/30;3m Class 100100303: FA-HMI: Cable
204632	FA-CNV2402CBL Communication cable for Q Series CPU; RS-232 to RS-422; 0,2m Class 100100303: FA-HMI: Cable
278166	SC-E5EW-S45M Ethernet cable; CC-Link IE; category 5e; dbl. shielded/STP; straight; indoor;45m Class 100100214: FA-MOD PLC: Cable
291807	SC-E5EW-S1M-MV Ethernet cable; CC-Link IE; category 5e; dbl. shielded/STP; straight; indoor; 1m Class 100100214: FA-MOD PLC: Cable

Material	Description / Price List Text / Classification
291808	SC-E5EW-S3M-MV Ethernet cable; CC-Link IE; category 5e; dbl. shielded/STP; straight; indoor; 3m Class 100100214: FA-MOD PLC: Cable
295425	SC-E5EW-S05M Ethernet cable; CC-Link IE; category 5e; dbl. shielded/STP; straight; indoor; 0.5m Class 100100214: FA-MOD PLC: Cable
295426	SC-E5EW-S1M Ethernet cable; CC-Link IE; category 5e; dbl. shielded/STP; straight; indoor; 1m Class 100100214: FA-MOD PLC: Cable
295427	SC-E5EW-S3M Ethernet cable; CC-Link IE; category 5e; dbl. shielded/STP; straight; indoor; 2m Class 100100214: FA-MOD PLC: Cable
413182	SC-E5EW-S10M Ethernet cable; CC-Link IE; category 5e; dbl. shielded/STP; straight; indoor; 10m Class 100100214: FA-MOD PLC: Cable
413183	SC-E5EW-S25M Ethernet cable; CC-Link IE; category 5e; dbl. shielded/STP; straight; indoor; 25m Class 100100214: FA-MOD PLC: Cable
413184	SC-E5EW-S5M Ethernet cable; CC-Link IE; category 5e; dbl. shielded/STP; straight; indoor; 5m Class 100100214: FA-MOD PLC: Cable
486376	SC-E5EW-S2M Ethernet cable; CC-Link IE; category 5e; dbl. shielded/STP; straight; indoor; 2m Class 100100214: FA-MOD PLC: Cable
486377	SC-E5EW-S4M Ethernet cable; CC-Link IE; category 5e; dbl. shielded/STP; straight; indoor; 4m Class 100100214: FA-MOD PLC: Cable
487403	SC-E5EW-S15M Ethernet cable; CC-Link IE; category 5e; dbl. shielded/STP; straight; indoor; 15m Class 100100214: FA-MOD PLC: Cable
487404	SC-E5EW-S20M Ethernet cable; CC-Link IE; category 5e; dbl. shielded/STP; straight; indoor; 20m Class 100100214: FA-MOD PLC: Cable
557483	SC-E5EW-S100M Ethernet cable; CC-Link IE; category 5e; dbl. shielded/STP; straight; indoor; 100m Class 100100214: FA-MOD PLC: Cable