



## MATERIAL FACT SHEET

### 582211 HK-RT153W

#### General Data

|                     |                                        |
|---------------------|----------------------------------------|
| Product Hierarchy   | IAK30234                               |
|                     | SERVO and Motion                       |
|                     | HK-RT                                  |
| Ext. Material Group | 10 STANDARD ITEM                       |
| ABC Indicator       | C (Non-Stock Material / Make-to-Order) |

e-shop: [https://mitsubishi-electric-eshop.mee.com/mee/FA\\_IA/EUR/en/p/000000000000582211](https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000582211)

#### FA-Servo-Motion: Servo Motor

|                            |                   |
|----------------------------|-------------------|
| Series                     | MELSERVO-J5       |
| Type                       | HK-RT             |
| Power Supply (V)           | 200               |
| Rated Capacity (kW)        | 1,5               |
| Inertia                    | ULTRA-LOW INERTIA |
| Rated Torque (Nm)          | 4,8               |
| Maximum Torque (Nm)        | 11,9              |
| Rated Speed (rpm)          | 3000              |
| Maximum Speed (rpm)        | 6700              |
| Inertia (kg*cm2)           | 0,909             |
| Brake                      | NO                |
| Shaft Type                 | STRAIGHT SHAFT    |
| Protection Class           | IP67              |
| Current Type               | AC                |
| Encoder Type               | 26-BIT            |
| Encoder Resolution (p/rev) | 67108864          |

#### Product Dimensions & Weight

|             |       |
|-------------|-------|
| Width (mm)  | 90    |
| Height (mm) | 106,6 |
| Depth (mm)  | 176,9 |
| Weight (kg) | 4,4   |

#### Logistic Dimensions & Gross Weight

|                   |        |
|-------------------|--------|
| Length (cm)       | 33,0   |
| Width (cm)        | 19,0   |
| Height (cm)       | 23,0   |
| Gross Weight (kg) | 5,000  |
| Volume (cdm)      | 14,421 |

#### Stock Data

|                              |     |
|------------------------------|-----|
| Planned Delivery Time (Days) | 100 |
|------------------------------|-----|

#### Life Cycle

|             |                |
|-------------|----------------|
| Predecessor | No Predecessor |
|-------------|----------------|

#### Additional Product Information

|                  |    |
|------------------|----|
| Battery included | NO |
|------------------|----|

#### Export Data

|                                          |            |
|------------------------------------------|------------|
| Legal Control (Dual Use List)            | Not Listed |
| Country of Origin                        | Japan (JP) |
| Preference Status (Supplier Declaration) | Non EU     |

#### Environmental

|                       |    |
|-----------------------|----|
| Dangerous Goods Class | NO |
|-----------------------|----|

|                            |           |
|----------------------------|-----------|
| Dangerous Goods Identifier | NO        |
| RoHS Compliance            | COMPLIANT |
| WEEE                       | B2B       |

### Conformity

|      |           |
|------|-----------|
| CE   | COMPLIANT |
| UKCA | COMPLIANT |

### Documentation & Media Data

|                            |                                                                                                                                                                                                                                                                                       |
|----------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Manual URL Indicator       | <a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=bltdae25c2bd5f2ff94&amp;q=HK-RT153W&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=bltdae25c2bd5f2ff94&amp;q=HK-RT153W&amp;doc-lang=en</a> |
| Certificates URL Indicator | <a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt8050dd1408c11cc2&amp;q=HK-RT153W&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt8050dd1408c11cc2&amp;q=HK-RT153W&amp;doc-lang=en</a> |
| CAD URL Indicator          | <a href="https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt26ecc97a31a841c1&amp;q=HK-RT153W&amp;doc-lang=en">https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&amp;doc-cats=blt26ecc97a31a841c1&amp;q=HK-RT153W&amp;doc-lang=en</a> |

### Product Packaging

|                   |     |
|-------------------|-----|
| Cardboard (g)     | 760 |
| Other paper (g)   | 0,5 |
| Aluminum (g)      | 0   |
| Steel (g)         | 0   |
| Styrofoam (g)     | 0   |
| Other plastic (g) | 6,9 |
| Wood (g)          | 0   |
| Glass (g)         | 0   |
| Others (g)        | 1   |

### Compatible products

| Material               | Description / Price List Text / Classification                                                                                               |
|------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">161572</a> | MR-ECNM<br>Encoder-connector-set for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR motor types<br>Class 100100509: FA-Servo-Motion: Connector             |
| <a href="#">161576</a> | MR-J3SCNS<br>Encoder-Connector-Set for HF-SE/SN/SP/JP, HG-JR/SN/SR, HK-ST/RT motor,(Straight)<br>Class 100100509: FA-Servo-Motion: Connector |
| <a href="#">481661</a> | MR-AEP1CBL5M-A1-H<br>Motor cable for HK-KT; Load-side; Highflexible; 5 m; IP65<br>Class 100100508: FA-Servo-Motion: Cable                    |
| <a href="#">481662</a> | MR-AEP1CBL10M-A1-H<br>Motor cable for HK-KT; Load-side; Highflexible; 10 m; IP65<br>Class 100100508: FA-Servo-Motion: Cable                  |
| <a href="#">481663</a> | MR-AEP1CBL2M-A2-H<br>Motor cable for HK-KT; Opposite Load-side; Highflexible; 2 m; IP65<br>Class 100100508: FA-Servo-Motion: Cable           |
| <a href="#">481936</a> | MR-AEP2CBL2M-A1-H<br>Motor cable for HK-KT; Load-side; Highflexible; 2 m; IP65; Dual<br>Class 100100508: FA-Servo-Motion: Cable              |
| <a href="#">481937</a> | MR-AEP2CBL5M-A1-H<br>Motor cable for HK-KT; Load-side; Highflexible; 5 m; IP65; Dual<br>Class 100100508: FA-Servo-Motion: Cable              |
| <a href="#">481938</a> | MR-AEP2CBL10M-A1-H<br>Motor cable for HK-KT; Load-side; Highflexible; 10 m; IP65; Dual<br>Class 100100508: FA-Servo-Motion: Cable            |
| <a href="#">481939</a> | MR-AEP2CBL2M-A1-L<br>Motor cable for HK-KT; Load-side; Standard; 2 m; IP65; Dual<br>Class 100100508: FA-Servo-Motion: Cable                  |
| <a href="#">481940</a> | MR-AEP2CBL5M-A1-L<br>Motor cable for HK-KT; Load-side; Standard; 5 m; IP65; Dual<br>Class 100100508: FA-Servo-Motion: Cable                  |
| <a href="#">481941</a> | MR-AEP2CBL10M-A1-L<br>Motor cable for HK-KT; Load-side; Standard; 10 m; IP65; Dual<br>Class 100100508: FA-Servo-Motion: Cable                |
| <a href="#">481982</a> | MR-AEP2CBL2M-A2-H<br>Motor cable for HK-KT; Opposite Load-side; Highflexible; 2 m; IP65; Dual<br>Class 100100508: FA-Servo-Motion: Cable     |
| <a href="#">481983</a> | MR-AEP2CBL5M-A2-H<br>Motor cable for HK-KT; Opposite Load-side; Highflexible; 5 m; IP65; Dual<br>Class 100100508: FA-Servo-Motion: Cable     |
| <a href="#">481984</a> | MR-AEP2CBL10M-A2-H<br>Motor cable for HK-KT; Opposite Load-side; Highflexible; 10 m; IP65; Dual<br>Class 100100508: FA-Servo-Motion: Cable   |

| Material               | Description / Price List Text / Classification                                                                                             |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">481985</a> | MR-AEP2CBL2M-A2-L<br>Motor cable for HK-KT; Opposite Load-side; Standard; 2 m; IP65; Dual<br>Class 100100508: FA-Servo-Motion: Cable       |
| <a href="#">481986</a> | MR-AEP2CBL5M-A2-L<br>Motor cable for HK-KT; Opposite Load-side; Standard; 5 m; IP65; Dual<br>Class 100100508: FA-Servo-Motion: Cable       |
| <a href="#">481987</a> | MR-AEP2CBL10M-A2-L<br>Motor cable for HK-KT; Opposite Load-side; Standard; 10 m; IP65; Dual<br>Class 100100508: FA-Servo-Motion: Cable     |
| <a href="#">482000</a> | MR-AEP1CBL2M-A1-H<br>Motor cable for HK-KT; Load-side; Highflexible; 2 m; IP65<br>Class 100100508: FA-Servo-Motion: Cable                  |
| <a href="#">482001</a> | MR-AEP1CBL2M-A1-L<br>Motor cable for HK-KT; Load-side; Standard; 2 m; IP65<br>Class 100100508: FA-Servo-Motion: Cable                      |
| <a href="#">482012</a> | MR-AEP1CBL5M-A1-L<br>Motor cable for HK-KT; Load-side; Standard; 5 m; IP65<br>Class 100100508: FA-Servo-Motion: Cable                      |
| <a href="#">482013</a> | MR-AEP1CBL10M-A1-L<br>Motor cable for HK-KT; Load-side; Standard; 10 m; IP65<br>Class 100100508: FA-Servo-Motion: Cable                    |
| <a href="#">482014</a> | MR-AEP1CBL5M-A2-H<br>Motor cable for HK-KT; Opposite Load-side; Highflexible; 5 m; IP65<br>Class 100100508: FA-Servo-Motion: Cable         |
| <a href="#">482015</a> | MR-AEP1CBL10M-A2-H<br>Motor cable for HK-KT; Opposite Load-side; Highflexible; 10 m; IP65<br>Class 100100508: FA-Servo-Motion: Cable       |
| <a href="#">482016</a> | MR-AEP1CBL2M-A2-L<br>Motor cable for HK-KT; Opposite Load-side; Standard; 2 m; IP65<br>Class 100100508: FA-Servo-Motion: Cable             |
| <a href="#">482017</a> | MR-AEP1CBL5M-A2-L<br>Motor cable for HK-KT; Opposite Load-side; Standard; 5 m; IP65<br>Class 100100508: FA-Servo-Motion: Cable             |
| <a href="#">482018</a> | MR-AEP1CBL10M-A2-L<br>Motor cable for HK-KT; Opposite Load-side; Standard; 10 m; IP65<br>Class 100100508: FA-Servo-Motion: Cable           |
| <a href="#">482052</a> | MR-AEP2J10CBL03M-A1-L<br>Motor cable for HK-KT; Load-side; Standard; 0,3 m; IP20; Dual<br>Class 100100508: FA-Servo-Motion: Cable          |
| <a href="#">482053</a> | MR-AEP2J10CBL03M-A2-L<br>Motor cable for HK-KT; Opposite Load-side; Standard; 0,3 m; IP20; Dual<br>Class 100100508: FA-Servo-Motion: Cable |
| <a href="#">482056</a> | MR-AEKCBL20M-H<br>Encoder cable for HK-KT; Highflexible; 20 m; IP20;<br>Class 100100508: FA-Servo-Motion: Cable                            |
| <a href="#">482057</a> | MR-AEKCBL30M-H<br>Encoder cable for HK-KT; Highflexible; 30 m; IP20;<br>Class 100100508: FA-Servo-Motion: Cable                            |
| <a href="#">482058</a> | MR-AEKCBL40M-H<br>Encoder cable for HK-KT; Highflexible; 40 m; IP20;<br>Class 100100508: FA-Servo-Motion: Cable                            |
| <a href="#">482059</a> | MR-AEKCBL50M-H<br>Encoder cable for HK-KT; Highflexible; 50 m; IP20;<br>Class 100100508: FA-Servo-Motion: Cable                            |
| <a href="#">482060</a> | MR-AEKCBL20M-L<br>Encoder cable for HK-KT; Standard; 20 m; IP20;<br>Class 100100508: FA-Servo-Motion: Cable                                |
| <a href="#">482061</a> | MR-AEKCBL30M-L<br>Encoder cable for HK-KT; Standard; 30 m; IP20;<br>Class 100100508: FA-Servo-Motion: Cable                                |
| <a href="#">482075</a> | MR-AEP2J20CBL03M-A1-L<br>Motor cable for HK-KT; Load-side; Standard; 0,3 m; IP65; Dual<br>Class 100100508: FA-Servo-Motion: Cable          |
| <a href="#">587683</a> | MR-AEP1CBL2M-A5-L<br>Motor cable for HK-KT; Vertical drawer; Standard; 2 m; IP65<br>Class 100100508: FA-Servo-Motion: Cable                |
| <a href="#">597960</a> | PFS010N-02.0-A1-L<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 2.0m; A1; Standard<br>Class 100100508: FA-Servo-Motion: Cable    |

| Material               | Description / Price List Text / Classification                                                                                                        |
|------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">597961</a> | PFS010N-03.0-A1-L<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 3.0m; A1; Standard<br>Class 100100508: FA-Servo-Motion: Cable               |
| <a href="#">597962</a> | PFS010N-04.0-A1-L<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 4.0m; A1; Standard<br>Class 100100508: FA-Servo-Motion: Cable               |
| <a href="#">597963</a> | PFS010N-05.0-A1-L<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 5.0m; A1; Standard<br>Class 100100508: FA-Servo-Motion: Cable               |
| <a href="#">597964</a> | PFS010N-06.0-A1-L<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 6.0m; A1; Standard<br>Class 100100508: FA-Servo-Motion: Cable               |
| <a href="#">597965</a> | PFS010N-07.0-A1-L<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 7.0m; A1; Standard<br>Class 100100508: FA-Servo-Motion: Cable               |
| <a href="#">597966</a> | PFS010N-08.0-A1-L<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 8.0m; A1; Standard<br>Class 100100508: FA-Servo-Motion: Cable               |
| <a href="#">597967</a> | PFS010N-09.0-A1-L<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 9.0m; A1; Standard<br>Class 100100508: FA-Servo-Motion: Cable               |
| <a href="#">597968</a> | PFS010N-10.0-A1-L<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 10.0m; A1; Standard<br>Class 100100508: FA-Servo-Motion: Cable              |
| <a href="#">597969</a> | PFS010N-11.0-A1-L<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 11.0m; A1; Standard; <11.5A<br>Class 100100508: FA-Servo-Motion: Cable      |
| <a href="#">597970</a> | PFS010N-12.0-A1-L<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 12.0m; A1; Standard; <10.5A<br>Class 100100508: FA-Servo-Motion: Cable      |
| <a href="#">597971</a> | PFS010N-13.0-A1-L<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 13.0m; A1; Standard; <9.7A<br>Class 100100508: FA-Servo-Motion: Cable       |
| <a href="#">597972</a> | PFS010N-14.0-A1-L<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 14.0m; A1; Standard; <9A<br>Class 100100508: FA-Servo-Motion: Cable         |
| <a href="#">597973</a> | PFS010N-15.0-A1-L<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 15.0m; A1; Standard; <8.4A<br>Class 100100508: FA-Servo-Motion: Cable       |
| <a href="#">597974</a> | PFS010N-02.0-A1-H<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 2.0m; A1; High flexible<br>Class 100100508: FA-Servo-Motion: Cable          |
| <a href="#">597975</a> | PFS010N-03.0-A1-H<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 3.0m; A1; High flexible<br>Class 100100508: FA-Servo-Motion: Cable          |
| <a href="#">597976</a> | PFS010N-04.0-A1-H<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 4.0m; A1; High flexible<br>Class 100100508: FA-Servo-Motion: Cable          |
| <a href="#">597977</a> | PFS010N-05.0-A1-H<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 5.0m; A1; High flexible<br>Class 100100508: FA-Servo-Motion: Cable          |
| <a href="#">597978</a> | PFS010N-06.0-A1-H<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 6.0m; A1; High flexible<br>Class 100100508: FA-Servo-Motion: Cable          |
| <a href="#">597979</a> | PFS010N-07.0-A1-H<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 7.0m; A1; High flexible<br>Class 100100508: FA-Servo-Motion: Cable          |
| <a href="#">597980</a> | PFS010N-08.0-A1-H<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 8.0m; A1; High flexible<br>Class 100100508: FA-Servo-Motion: Cable          |
| <a href="#">597981</a> | PFS010N-09.0-A1-H<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 9.0m; A1; High flexible<br>Class 100100508: FA-Servo-Motion: Cable          |
| <a href="#">597982</a> | PFS010N-10.0-A1-H<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 10.0m; A1; High flexible<br>Class 100100508: FA-Servo-Motion: Cable         |
| <a href="#">597983</a> | PFS010N-11.0-A1-H<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 11.0m; A1; High flexible; <11.5A<br>Class 100100508: FA-Servo-Motion: Cable |

| Material               | Description / Price List Text / Classification                                                                                                   |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">597984</a> | PFS010N-12.0-A1-H<br>Power Feedback Single cable for HK-KT; 1mm2;Normal;12.0m;A1;High flexible;<10.5A<br>Class 100100508: FA-Servo-Motion: Cable |
| <a href="#">597985</a> | PFS010N-13.0-A1-H<br>Power Feedback Single cable for HK-KT; 1mm2;Normal;13.0m; A1;High flexible;<9.7A<br>Class 100100508: FA-Servo-Motion: Cable |
| <a href="#">597986</a> | PFS010N-14.0-A1-H<br>Power Feedback Single cable for HK-KT; 1mm2;Normal;14.0m; A1;High flexible;<9A<br>Class 100100508: FA-Servo-Motion: Cable   |
| <a href="#">597987</a> | PFS010N-15.0-A1-H<br>Power Feedback Single cable for HK-KT; 1mm2;Normal;15.0m; A1;High flexible;<8.4A<br>Class 100100508: FA-Servo-Motion: Cable |
| <a href="#">598016</a> | PFS010N-02.0-A2-L<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 2.0m; A2; Standard<br>Class 100100508: FA-Servo-Motion: Cable          |
| <a href="#">598017</a> | PFS010N-03.0-A2-L<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 3.0m; A2; Standard<br>Class 100100508: FA-Servo-Motion: Cable          |
| <a href="#">598018</a> | PFS010N-04.0-A2-L<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 4.0m; A2; Standard<br>Class 100100508: FA-Servo-Motion: Cable          |
| <a href="#">598019</a> | PFS010N-05.0-A2-L<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 5.0m; A2; Standard<br>Class 100100508: FA-Servo-Motion: Cable          |
| <a href="#">598020</a> | PFS010N-06.0-A2-L<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 6.0m; A2; Standard<br>Class 100100508: FA-Servo-Motion: Cable          |
| <a href="#">598021</a> | PFS010N-07.0-A2-L<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 7.0m; A2; Standard<br>Class 100100508: FA-Servo-Motion: Cable          |
| <a href="#">598022</a> | PFS010N-08.0-A2-L<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 8.0m; A2; Standard<br>Class 100100508: FA-Servo-Motion: Cable          |
| <a href="#">598023</a> | PFS010N-09.0-A2-L<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 9.0m; A2; Standard<br>Class 100100508: FA-Servo-Motion: Cable          |
| <a href="#">598024</a> | PFS010N-10.0-A2-L<br>Power Feedback Single cable for HK-KT; 1mm2; Normal; 10.0m; A2; Standard<br>Class 100100508: FA-Servo-Motion: Cable         |
| <a href="#">598025</a> | PFS010N-11.0-A2-L<br>Power Feedback Single cable for HK-KT; 1mm2; Normal; 11.0m; A2; Standard; <11.5A<br>Class 100100508: FA-Servo-Motion: Cable |
| <a href="#">598026</a> | PFS010N-12.0-A2-L<br>Power Feedback Single cable for HK-KT; 1mm2; Normal; 12.0m; A2; Standard; <10.5A<br>Class 100100508: FA-Servo-Motion: Cable |
| <a href="#">598027</a> | PFS010N-13.0-A2-L<br>Power Feedback Single cable for HK-KT; 1mm2; Normal; 13.0m; A2; Standard; <9.7A<br>Class 100100508: FA-Servo-Motion: Cable  |
| <a href="#">598028</a> | PFS010N-14.0-A2-L<br>Power Feedback Single cable for HK-KT; 1mm2; Normal; 14.0m; A2; Standard; <9A<br>Class 100100508: FA-Servo-Motion: Cable    |
| <a href="#">598029</a> | PFS010N-15.0-A2-L<br>Power Feedback Single cable for HK-KT; 1mm2; Normal; 15.0m; A2; Standard; <8.4A<br>Class 100100508: FA-Servo-Motion: Cable  |
| <a href="#">598030</a> | PFS010N-02.0-A2-H<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 2.0m; A2; High flexible<br>Class 100100508: FA-Servo-Motion: Cable     |
| <a href="#">598031</a> | PFS010N-03.0-A2-H<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 3.0m; A2; High flexible<br>Class 100100508: FA-Servo-Motion: Cable     |
| <a href="#">598032</a> | PFS010N-04.0-A2-H<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 4.0m; A2; High flexible<br>Class 100100508: FA-Servo-Motion: Cable     |
| <a href="#">598033</a> | PFS010N-05.0-A2-H<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 5.0m; A2; High flexible<br>Class 100100508: FA-Servo-Motion: Cable     |
| <a href="#">598034</a> | PFS010N-06.0-A2-H<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 6.0m; A2; High flexible<br>Class 100100508: FA-Servo-Motion: Cable     |

| Material               | Description / Price List Text / Classification                                                                                                   |
|------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">598035</a> | PFS010N-07.0-A2-H<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 7.0m; A2; High flexible<br>Class 100100508: FA-Servo-Motion: Cable     |
| <a href="#">598036</a> | PFS010N-08.0-A2-H<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 8.0m; A2; High flexible<br>Class 100100508: FA-Servo-Motion: Cable     |
| <a href="#">598037</a> | PFS010N-09.0-A2-H<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 9.0m; A2; High flexible<br>Class 100100508: FA-Servo-Motion: Cable     |
| <a href="#">598038</a> | PFS010N-10.0-A2-H<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 10.0m; A2; High flexible<br>Class 100100508: FA-Servo-Motion: Cable    |
| <a href="#">598039</a> | PFS010N-11.0-A2-H<br>Power Feedback Single cable for HK-KT;1mm²;Normal;11.0m; A2;High flexible;<11.5A<br>Class 100100508: FA-Servo-Motion: Cable |
| <a href="#">598040</a> | PFS010N-12.0-A2-H<br>Power Feedback Single cable for HK-KT;1mm²;Normal;12.0m; A2;High flexible;<10.5A<br>Class 100100508: FA-Servo-Motion: Cable |
| <a href="#">598041</a> | PFS010N-13.0-A2-H<br>Power Feedback Single cable for HK-KT;1mm²;Normal; 13.0m; A2;High flexible;<9.7A<br>Class 100100508: FA-Servo-Motion: Cable |
| <a href="#">598042</a> | PFS010N-14.0-A2-H<br>Power Feedback Single cable for HK-KT;1mm²;Normal; 14.0m; A2;High flexible;<9A<br>Class 100100508: FA-Servo-Motion: Cable   |
| <a href="#">598043</a> | PFS010N-15.0-A2-H<br>Power Feedback Single cable for HK-KT;1mm²;Normal; 15.0m; A2;High flexible;<8.4A<br>Class 100100508: FA-Servo-Motion: Cable |
| <a href="#">609632</a> | MR-AEP2CBL2M-A5-H<br>Motor cable for HK-KT/HK-MT/HK-RT103(4)/153(4)/203(4)W; hi-flex; 2m, IP65<br>Class 100100508: FA-Servo-Motion: Cable        |
| <a href="#">609633</a> | MR-AEP2CBL5M-A5-H<br>Motor cable for HK-KT/HK-MT/HK-RT103(4)/153(4)/203(4)W; hi-flex; 5m, IP65<br>Class 100100508: FA-Servo-Motion: Cable        |
| <a href="#">609634</a> | MR-AEP2CBL10M-A5-H<br>Motor cable for HK-KT/HK-MT/HK-RT103(4)/153(4)/203(4)W; hi-flex; 10m, IP65<br>Class 100100508: FA-Servo-Motion: Cable      |
| <a href="#">609635</a> | MR-AEP2CBL2M-A5-L<br>Motor cable for HK-KT/HK-MT/HK-RT103(4)/153(4)/203(4)W; Standard; 2m, IP65<br>Class 100100508: FA-Servo-Motion: Cable       |
| <a href="#">609636</a> | MR-AEP2CBL5M-A5-L<br>Motor cable for HK-KT/HK-MT/HK-RT103(4)/153(4)/203(4)W; Standard; 5m, IP65<br>Class 100100508: FA-Servo-Motion: Cable       |
| <a href="#">609637</a> | MR-AEP2CBL10M-A5-L<br>Motor cable for HK-KT/HK-MT/HK-RT103(4)/153(4)/203(4)W; Standard; 10m, IP65<br>Class 100100508: FA-Servo-Motion: Cable     |
| <a href="#">609644</a> | MR-AEP1CBL2M-A5-H<br>Motor cable for HK-KT/HK-MT/HK-RT103(4)/153(4)/203(4)W; hi-flex; 2m, IP65<br>Class 100100508: FA-Servo-Motion: Cable        |
| <a href="#">609645</a> | MR-AEP1CBL5M-A5-H<br>Motor cable for HK-KT/HK-MT/HK-RT103(4)/153(4)/203(4)W; hi-flex; 5m, IP65<br>Class 100100508: FA-Servo-Motion: Cable        |
| <a href="#">609646</a> | MR-AEP1CBL10M-A5-H<br>Motor cable for HK-KT/HK-MT/HK-RT103(4)/153(4)/203(4)W; hi-flex; 10m, IP65<br>Class 100100508: FA-Servo-Motion: Cable      |
| <a href="#">609647</a> | MR-AEP1CBL5M-A5-L<br>Motor cable for HK-KT/HK-MT/HK-RT103(4)/153(4)/203(4)W; Standard; 5m, IP65<br>Class 100100508: FA-Servo-Motion: Cable       |
| <a href="#">609648</a> | MR-AEP1CBL10M-A5-L<br>Motor cable for HK-KT/HK-MT/HK-RT103(4)/153(4)/203(4)W; Standard; 10m, IP65<br>Class 100100508: FA-Servo-Motion: Cable     |
| <a href="#">679312</a> | PFS010N-16.0-A1-L<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 16.0m; A1; Standard;<7.9A<br>Class 100100508: FA-Servo-Motion: Cable   |
| <a href="#">679313</a> | PFS010N-16.0-A1-H<br>Power Feedback Single cable for HK-KT; 1mm²;Normal;16.0m; A1;High flexible;<7.9A<br>Class 100100508: FA-Servo-Motion: Cable |
| <a href="#">679316</a> | PFS010N-16.0-A2-L<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 16.0m; A2; Standard;<7.9A<br>Class 100100508: FA-Servo-Motion: Cable   |

| Material               | Description / Price List Text / Classification                                                                                                       |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">679317</a> | PFS010N-16.0-A2-H<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 16.0m; A2; High flexible; <7.9A<br>Class 100100508: FA-Servo-Motion: Cable |
| <a href="#">680427</a> | PFDA010N-00.5-A1-L<br>Power Feedback Dual Adapter Cable for HK-KT; Normal; 0.5m; A1; Standard<br>Class 100100508: FA-Servo-Motion: Cable             |
| <a href="#">680428</a> | PFDA010N-00.5-A2-L<br>Power Feedback Dual Adapter Cable for HK-KT; Normal; 0.5m; A2; Standard<br>Class 100100508: FA-Servo-Motion: Cable             |
| <a href="#">680429</a> | PD020N-20.0-H<br>Power cable for Adapter Cable for HK-KT; 2mm²; Normal; 20.0m; High flexible<br>Class 100100508: FA-Servo-Motion: Cable              |
| <a href="#">680430</a> | PD020N-30.0-H<br>Power cable for Adapter Cable for HK-KT; 2mm²; Normal; 30.0m; High flexible<br>Class 100100508: FA-Servo-Motion: Cable              |
| <a href="#">680431</a> | PD020N-40.0-H<br>Power cable for Adapter Cable for HK-KT; 2mm²; Normal; 40.0m; High flexible<br>Class 100100508: FA-Servo-Motion: Cable              |
| <a href="#">680462</a> | PD020N-50.0-H<br>Power cable for Adapter Cable for HK-KT; 2mm²; Normal; 50.0m; High flexible<br>Class 100100508: FA-Servo-Motion: Cable              |
| <a href="#">680469</a> | FDS-20.0-H<br>Feedback cable for Adapter Cable for HK-KT; 20.0m; High flexible<br>Class 100100508: FA-Servo-Motion: Cable                            |
| <a href="#">680470</a> | FDS-30.0-H<br>Feedback cable for Adapter Cable for HK-KT; 30.0m; High flexible<br>Class 100100508: FA-Servo-Motion: Cable                            |
| <a href="#">680471</a> | FDS-40.0-H<br>Feedback cable for Adapter Cable for HK-KT; 40.0m; High flexible<br>Class 100100508: FA-Servo-Motion: Cable                            |
| <a href="#">680472</a> | FDS-50.0-H<br>Feedback cable for Adapter Cable for HK-KT; 50.0m; High flexible<br>Class 100100508: FA-Servo-Motion: Cable                            |
| 680671                 | PFDA010N-02.0-A1-L<br>Power Feedback Dual Adapter Cable for HK-KT; Normal; 2.0m; A1; Standard<br>Class 100100508: FA-Servo-Motion: Cable             |
| 680682                 | PFDA010N-03.0-A1-L<br>Power Feedback Dual Adapter Cable for HK-KT; Normal; 3.0m; A1; Standard<br>Class 100100508: FA-Servo-Motion: Cable             |
| 680683                 | PFDA010N-04.0-A1-L<br>Power Feedback Dual Adapter Cable for HK-KT; Normal; 4.0m; A1; Standard<br>Class 100100508: FA-Servo-Motion: Cable             |
| 680684                 | PFDA010N-05.0-A1-L<br>Power Feedback Dual Adapter Cable for HK-KT; Normal; 5.0m; A1; Standard<br>Class 100100508: FA-Servo-Motion: Cable             |
| 680685                 | PD020N-03.0-H<br>Power cable for Adapter Cable for HK-KT; 2mm²; Normal; 3.0m; High flexible<br>Class 100100508: FA-Servo-Motion: Cable               |
| 680686                 | PD020N-04.0-H<br>Power cable for Adapter Cable for HK-KT; 2mm²; Normal; 4.0m; High flexible<br>Class 100100508: FA-Servo-Motion: Cable               |
| 682026                 | PFDA010N-06.0-A1-L<br>Power Feedback Dual Adapter Cable for HK-KT; Normal; 6.0m; A1; Standard<br>Class 100100508: FA-Servo-Motion: Cable             |
| <a href="#">682591</a> | PD020N-25.0-H<br>Power cable for Adapter Cable for HK-KT; 2mm²; Normal; 25.0m; High flexible<br>Class 100100508: FA-Servo-Motion: Cable              |
| <a href="#">682612</a> | PD020N-35.0-H<br>Power cable for Adapter Cable for HK-KT; 2mm²; Normal; 35.0m; High flexible<br>Class 100100508: FA-Servo-Motion: Cable              |
| <a href="#">682613</a> | PD020N-45.0-H<br>Power cable for Adapter Cable for HK-KT; 2mm²; Normal; 45.0m; High flexible<br>Class 100100508: FA-Servo-Motion: Cable              |
| <a href="#">682617</a> | FDS-25.0-H<br>Feedback cable for Adapter Cable for HK-KT; 25.0m; High flexible<br>Class 100100508: FA-Servo-Motion: Cable                            |
| <a href="#">682618</a> | FDS-35.0-H<br>Feedback cable for Adapter Cable for HK-KT; 35.0m; High flexible<br>Class 100100508: FA-Servo-Motion: Cable                            |

| Material               | Description / Price List Text / Classification                                                                                                |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">682619</a> | FDS-45.0-H<br>Feedback cable for Adapter Cable for HK-KT; 45.0m; High flexible<br>Class 100100508: FA-Servo-Motion: Cable                     |
| <a href="#">690326</a> | PFS010N-01.0-A1-L<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 1.0m; A1; Standard<br>Class 100100508: FA-Servo-Motion: Cable       |
| <a href="#">690327</a> | PFS010N-20.0-A1-L<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 20.0m; A1; Standard<br>Class 100100508: FA-Servo-Motion: Cable      |
| <a href="#">690328</a> | PFS010N-01.0-A1-H<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 1.0m; A1; High flexible<br>Class 100100508: FA-Servo-Motion: Cable  |
| <a href="#">690329</a> | PFS010N-20.0-A1-H<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 20.0m; A1; High flexible<br>Class 100100508: FA-Servo-Motion: Cable |
| <a href="#">690334</a> | PFS010N-01.0-A2-L<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 1.0m; A2; Standard<br>Class 100100508: FA-Servo-Motion: Cable       |
| <a href="#">690335</a> | PFS010N-20.0-A2-L<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 20.0m; A2; Standard<br>Class 100100508: FA-Servo-Motion: Cable      |
| <a href="#">690336</a> | PFS010N-01.0-A2-H<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 1.0m; A2; High flexible<br>Class 100100508: FA-Servo-Motion: Cable  |
| <a href="#">690337</a> | PFS010N-20.0-A2-H<br>Power Feedback Single cable for HK-KT; 1mm²; Normal; 20.0m; A2; High flexible<br>Class 100100508: FA-Servo-Motion: Cable |
| <a href="#">691845</a> | PFDA010N-03.0-A1-H<br>Power Feedback Dual Adapter Cable for HK-KT; Normal; 3.0m; A1; High flexible<br>Class 100100508: FA-Servo-Motion: Cable |
| <a href="#">691846</a> | PFDA010N-03.0-A2-H<br>Power Feedback Dual Adapter Cable for HK-KT; Normal; 3.0m; A2; High flexible<br>Class 100100508: FA-Servo-Motion: Cable |
| <a href="#">691847</a> | PD020N-07.0-H<br>Power cable for Adapter Cable for HK-KT; 2mm²; Normal; 7.0m; High flexible<br>Class 100100508: FA-Servo-Motion: Cable        |
| <a href="#">691849</a> | FDS-07.0-H<br>Feedback cable for Adapter Cable for HK-KT; 07.0m; High flexible<br>Class 100100508: FA-Servo-Motion: Cable                     |