



MATERIAL FACT SHEET

282634 HG-KN23BK

General Data

Product Hierarchy	IAK30226
	SERVO and Motion
	HG-KN
Ext. Material Group	10 STANDARD ITEM
ABC Indicator	A (Available from Stock)

e-shop: https://mitsubishi-electric-eshop.mee.com/mee/FA_IA/EUR/en/p/000000000000282634

FA-Servo-Motion: Servo Motor

Series	MELSERVO-JE
Type	HG-KN
Power Supply (V)	200
Rated Capacity (kW)	0,2
Inertia	LOW INERTIA
Rated Torque (Nm)	0,64
Maximum Torque (Nm)	1,9
Rated Speed (rpm)	3000
Maximum Speed (rpm)	5000
Inertia (kg*cm ²)	0,247
Brake	YES
Shaft Type	KEYWAY
Protection Class	IP65
Current Type	AC
Encoder Type	17-BIT
Encoder Resolution (p/rev)	131072

Product Dimensions & Weight

Width (mm)	60
Height (mm)	77,1
Depth (mm)	154,8
Weight (kg)	1,4

Logistic Dimensions & Gross Weight

Length (cm)	24,0
Width (cm)	11,0
Height (cm)	9,0
Gross Weight (kg)	1,400
Volume (cdm)	2,376

Stock Data

Planned Delivery Time (Days)	100
------------------------------	-----

Life Cycle

Sales Start	15.12.2014
Predecessor	253949 / HF-KN23BK

Additional Product Information

Battery included	NO
------------------	----

Export Data

Legal Control (Dual Use List)	Not Listed
Country of Origin	Japan (JP)
Preference Status (Supplier Declaration)	Non EU

Environmental

REACH Limit Exceeded	YES
REACH Substance CAS Number	7439-92-1
REACH Substance CAS Number (2)	96-45-7
Dangerous Goods Class	NO
Dangerous Goods Identifier	NO
RoHS Compliance	COMPLIANT
WEEE	B2B

Conformity

CE	COMPLIANT
UL/cUL	COMPLIANT
EAC	COMPLIANT
UKCA	COMPLIANT

Documentation & Media Data

Manual URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=bltdae25c2bd5f2ff94&q=HG-KN23BK&doc-lang=en
Certificates URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt8050dd1408c11cc2&q=HG-KN23BK&doc-lang=en
CAD URL Indicator	https://emea.mitsubishielectric.com/fa/advanced-search?ct=document&doc-cats=blt26ecc97a31a841c1&q=HG-KN23BK&doc-lang=en

Product Packaging

Cardboard (g)	110
Other paper (g)	36
Aluminum (g)	0
Steel (g)	0
Styrofoam (g)	0
Other plastic (g)	13
Wood (g)	0
Glass (g)	0
Others (g)	0

Compatible products

Material	Description / Price List Text / Classification
154367	MR-J3JCBL03M-A2-L Encoder cable; for HF-KN,-KP,-MP, HG-KR,-MR, 0.3m (lead out encoder), IP20 Class 100100508: FA-Servo-Motion: Cable
160227	MR-PWS1CBL2M-A1-H Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, high flex, 2m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
160228	MR-PWS1CBL2M-A2-H Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, high flexible, 2m (Encoder) Class 100100508: FA-Servo-Motion: Cable
160230	MR-J3ENCBL2M-A2-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, highflexible, 2m (encoder) Class 100100508: FA-Servo-Motion: Cable
160311	MR-BKS1CBL2M-A2-H Brake cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, high flexible, 2m (Encoder) Class 100100508: FA-Servo-Motion: Cable
160312	MR-J3ENCBL2M-A1-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, highflex. 2m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161547	MR-J3ENCBL5M-A1-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, highflex. 5m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161548	MR-J3ENCBL10M-A1-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, highflex. 10m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161549	MR-J3ENCBL2M-A1-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 2m (lead out motor shaft) Class 100100508: FA-Servo-Motion: Cable
161550	MR-J3ENCBL5M-A1-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 5m (lead out motor shaft) Class 100100508: FA-Servo-Motion: Cable
161551	MR-J3ENCBL10M-A1-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 10m (lead out motor shaft) Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
161552	MR-J3ENCBL5M-A2-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, highflexible, 5m (encoder) Class 100100508: FA-Servo-Motion: Cable
161553	MR-J3ENCBL10M-A2-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, highflexible, 10m (encoder) Class 100100508: FA-Servo-Motion: Cable
161554	MR-J3ENCBL2M-A2-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 2m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161555	MR-J3ENCBL5M-A2-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 5m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161556	MR-J3ENCBL10M-A2-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 10m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161557	MR-J3CBL03M-A1-L Encoder cable; for HF-KN,-KP,-MP, HG-KR,-MR, 0.3m (lead out motor shaft), IP20 Class 100100508: FA-Servo-Motion: Cable
161559	MR-EKCBL20M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 20m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161560	MR-EKCBL30M-H Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, high-flex 30m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161561	MR-EKCBL20M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 20m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161562	MR-EKCBL30M-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 30m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
161572	MR-ECNM Encoder-connector-set for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR motor types Class 100100509: FA-Servo-Motion: Connector
161592	MR-PWS1CBL5M-A1-H Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, high flex, 5m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161593	MR-PWS1CBL10M-A1-H Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, high flex, 10m (motor shaft) Class 100100508: FA-Servo-Motion: Cable
161594	MR-PWS1CBL2M-A1-L Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 2m (Lead out motor shaft) Class 100100508: FA-Servo-Motion: Cable
161595	MR-PWS1CBL5M-A1-L Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 5m (Lead out motor shaft) Class 100100508: FA-Servo-Motion: Cable
161596	MR-PWS1CBL10M-A1-L Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 10m (Lead out motor shaft) Class 100100508: FA-Servo-Motion: Cable
161597	MR-PWS1CBL5M-A2-H Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, high flexible, 5m (Encoder) Class 100100508: FA-Servo-Motion: Cable
161598	MR-PWS1CBL10M-A2-H Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, high flexible, 10m (Encoder) Class 100100508: FA-Servo-Motion: Cable
161599	MR-PWS1CBL2M-A2-L Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 2m (Lead out Encoder) Class 100100508: FA-Servo-Motion: Cable
161600	MR-PWS1CBL5M-A2-L Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 5m (Lead out Encoder) Class 100100508: FA-Servo-Motion: Cable
161601	MR-PWS1CBL10M-A2-L Power cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 10m (Lead out Encoder) Class 100100508: FA-Servo-Motion: Cable
161602	MR-PWS2CBL03M-A1-L Power cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 0.3 m (Lead out motor shaft) Class 100100508: FA-Servo-Motion: Cable
161603	MR-PWS2CBL03M-A2-L Power cable; for HF-KE,-KN,-KP,-MP, HG-KR,-MR, 0.3 m (Lead out Encoder) Class 100100508: FA-Servo-Motion: Cable

Material	Description / Price List Text / Classification
161604	MR-BKS1CBL2M-A1-H Brake cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, high flexible,2m(motor shaft) Class 100100508: FA-Servo-Motion: Cable
161605	MR-BKS1CBL5M-A1-H Brake cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, high flexible,5m(motor shaft) Class 100100508: FA-Servo-Motion: Cable
161606	MR-BKS1CBL10M-A1-H Brake cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR,high flexible,10m(motor shaft) Class 100100508: FA-Servo-Motion: Cable
161607	MR-BKS1CBL2M-A1-L Brake cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 2m (Lead out motor shaft) Class 100100508: FA-Servo-Motion: Cable
161608	MR-BKS1CBL5M-A1-L Brake cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 5m (Lead out motor shaft) Class 100100508: FA-Servo-Motion: Cable
161609	MR-BKS1CBL10M-A1-L Brake cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 10m (Lead out motor shaft) Class 100100508: FA-Servo-Motion: Cable
161610	MR-BKS1CBL5M-A2-H Brake cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, high flexible, 5m (Encoder) Class 100100508: FA-Servo-Motion: Cable
161611	MR-BKS1CBL10M-A2-H Brake cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, high flexible, 10m (Encoder) Class 100100508: FA-Servo-Motion: Cable
161612	MR-BKS1CBL2M-A2-L Brake cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 2m (Lead out Encoder) Class 100100508: FA-Servo-Motion: Cable
161613	MR-BKS1CBL5M-A2-L Brake cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 5m (Lead out Encoder) Class 100100508: FA-Servo-Motion: Cable
161614	MR-BKS1CBL10M-A2-L Brake cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 10m (Lead out Encoder) Class 100100508: FA-Servo-Motion: Cable
161615	MR-BKS2CBL03M-A1-L Brake cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 0,3 m (Lead out motor shaft) Class 100100508: FA-Servo-Motion: Cable
161616	MR-BKS2CBL03M-A2-L Brake cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 0,3 m (Lead out Encoder) Class 100100508: FA-Servo-Motion: Cable
209504	MR-J3ENCBL3M-A2-L Encoder cable; for HF-KE,-KN,-KP,-MP, HG-KN,-KR,-MR, 3m (lead out encoder) Class 100100508: FA-Servo-Motion: Cable
229788	MR-EKCBL50M-H Encoder cable; for HF-KP(B)/HF-MP(B), high-flex 50m (lead out motor shaft), IP20 Class 100100508: FA-Servo-Motion: Cable
246915	MR-EKCBL5M-H Encoder cable; high-flex, 5m, IP20 Class 100100508: FA-Servo-Motion: Cable
269075	MR-EKCBL40M-H Class 100100508: FA-Servo-Motion: Cable